



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.12

AMARAVATI, WEDNESDAY, MARCH 27, 2019

G.881

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS  
AND OTHER OFFICERS**

--X--

**NOTIFICATIONS BY GOVERNMENT**  
**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY**  
**DEPARTMENT**  
**(FOREST.I)**

VIZIANAGARAM DISTRICT - BHOGAPURAM MANDAL, KANCHERU VILLAGE-  
RESERVATION OF KANCHERU BIT II, WITH AN EXTENT OF 31.86 ACRES OR  
12.90 Ha.OF LAND - UNDER SECTION 4 OF THE ANDHRA PRADESH FOREST  
ACT, 1967 AS KANCHERU BIT II FOREST BLOCK.

**[G.O.Ms.No. 67, Environment, Forests, Science & Technology (Forest.I),  
15<sup>th</sup> May, 2011.]**

**NOTIFICATION**

In exercise of the powers conferred under Section 4 of the Andhra Pradesh Forest Act, 1967(Andhra Pradesh Act No.I of 1967), the Governor of Andhra Pradesh hereby declares that it is proposed to constitute the following land within the boundaries specified in the schedule below as a 'Reserved Forest' under the said Act and appoints the Forest Settlement Officer SPSR, Vizianagaram be the Forest Settlement Officer in regard to the said land to consider the objections, if any, and to enquire into and determine the existence, nature and extent of any rights claimed by, or alleged to exist in favour of any person in or over any land comprised in their such limits, or to any Forest Produce of such land to deal with the same as provided in chapter-II of the said Act.

**SCHEDULE**

Name of the District : Vizianagaram  
 Name of the Revenue Mandal : Bhogapuram  
 Name of the Division : Vizianagaram  
 Name of the Range : Vizianagaram  
 Name of the Forest Block : Kanchuru Bit-II  
 Area of the Forest Block : Ac. 31.86 Cts (or) 12.90 Ha.

**Details of Areas included in the Forest Block**

| Sl.No. | Name of the village | Nature of land | Extent included in Forest Block | Remarks                    |
|--------|---------------------|----------------|---------------------------------|----------------------------|
| 1      | Kancheru            | Sandy          | 31.86 Ac. (or) 12.90 Ha.        | Un-surveyed Sea-Coast area |

Kanchuru Bit-II Block area has been separately surveyed and the details are furnished below.

**BOUNDARY DESCRIPTION OF BIT "A"**

**North:** Starting from Station No.1 near Yerramusalayyapalem and Mukkam Village Survey No.1 and runs towards North-eastern direction to station No.12 thence runs towards South-eastern direction to station No.13, thence runs towards North-eastern direction to station No.16, with the following magnetic bearings and distances.

| Station No.s |    | Magnetic Bearing in Degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 1            | 2  | 27.00                       | 298               |
| 2            | 3  | 34.00                       | 290               |
| 3            | 4  | 33.30                       | 441               |

| Station No.s |    | Magnetic Bearing in Degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 4            | 5  | 41.00                       | 419               |
| 5            | 6  | 47.00                       | 592               |
| 6            | 7  | 45.00                       | 230               |

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 7            | 8  | 8.00                        | 328               |
| 8            | 9  | 52.30                       | 383               |
| 9            | 10 | 43.00                       | 232               |
| 10           | 11 | 44.30                       | 573               |

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 11           | 12 | 48.00                       | 411               |
| 12           | 13 | 126.30                      | 542               |
| 13           | 14 | 47.00                       | 848               |
| 14           | 15 | 48.30                       | 564               |
| 15           | 16 | 41.30                       | 308               |

**East:** Thence the boundary line runs towards South-eastern direction to Station No.17 with the following Magnetic Bearings and distances.

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 16           | 17 | 130.00                      | 542               |

**South:** Thence the boundary line runs towards South-western direction to Station No.22 with the following Magnetic Bearing and distance.

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 17           | 18 | 229.00                      | 1037              |
| 18           | 19 | 230.00                      | 2621              |
| 19           | 20 | 220.00                      | 530               |

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 20           | 21 | 225.00                      | 787               |
| 21           | 22 | 212.00                      | 496               |

**West:** Thence the boundary line runs towards North-western direction to Station No.1 (Starting point) with the following Magnetic Bearings and distances.

| Station Nos. |    | Magnetic Bearing in degrees | Distance in links |
|--------------|----|-----------------------------|-------------------|
| From         | To |                             |                   |
| 22           | 1  | 299.30                      | 388               |

**Remarks:** 1) Enclosures not to be allowed within the block.  
2) Right of way not to be admitted within the Block.

JANAKI R. KONDAPI,  
Special Chief Secretary to Government.



## సోటిఫికేషన్

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీశాఖ వారి అటవీ చట్టము 1967 సెక్షను 4 ప్రకారము (చట్టము 1, 1967), ఆంధ్రప్రదేశ్ గవర్నరు గారి అధికారములకు లోబడి సెక్షను 4 ప్రకారము ఈ క్రింది షెడ్యూలులోగల అటవీ భూమిని రిజర్వు ఫారెస్టుగా పరిగణించబడుటకు గాను ఆధ్యాయము-IIలో పాండుపరచిన సూచనల మేరకు ఈ అటవీ భూమి యొక్క విస్తీర్ణము, అటవీ స్వభావము మరియు ఈ అటవీ భూమి సరిహద్దు చూట్టాగల గ్రామ ప్రజల వద్ద నుండి భూ ఆక్రమణలకు సంబంధించి ఏమైనా ఆక్షేపణలు ఉన్నాయడల వాటిని పరిశీలించుటకు, అట్టి పరిధిలోపల ఉన్న ఏవైనా హక్కుల యొక్క అస్తిత్వాన్ని, స్వభావాన్ని విస్తృతించి గురించి విచారించి మరియు పరిష్కరించుటకు గాను విజయనగరం జిల్లా ఫారెస్టు సెటిల్మెంట్ ఆఫీసరుగారిని నియమించడమైనది.

### షెడ్యూలు

- |   |   |                             |
|---|---|-----------------------------|
| 1) రెవెన్యూ జిల్లా పేరు                   | : | విజయనగరం.                   |
| 2) రెవెన్యూ మండలం పేరు                    | : | భోగాపురము                   |
| 3) అటవీ డివిజను పేరు                      | : | విజయనగరం                    |
| 4) అటవీ రేంజి పేరు                        | : | విజయనగరం                    |
| 5) రిజర్వు చేయబడు అటవీ బ్లాకు పేరు        | : | కంచేరు డిల్-2               |
| 6) రిజర్వు చేయబడు అటవీ బ్లాకు విస్తీర్ణము | : | 31.86 ఎకరములు(లేక)12.90 హె॥ |

### అటవీ బ్లాకులో ఉన్నటువంటి స్థల వివరములు

| వరుస నెం. | గ్రామము పేరు | భూమి స్వభావము | అటవీ బ్లాకులో కలిపిన స్థలం  | రిమార్కులు                        |
|-----------|--------------|---------------|-----------------------------|-----------------------------------|
| 1         | కంచేరు       | ఇసుక దిబ్బలు  | 31.86 ఎకరాలు(లేక) 12.90 హె॥ | సర్వే చేయబడని సముద్ర తీర ప్రాంతము |

### బిల్ “ఎ” యొక్క సరిహద్దు వివరములు

**ఉత్తరము:** ఈ బ్లాకు యొక్క సరిహద్దు రేఖ సాధారణముగా ఎర్రమునలయ్యపాలెం మరియు ముక్కం గ్రామములను కలుపు ముక్కం సర్వే స్థానము నెం.1 మరియు బ్లాకు యొక్క స్థానము నెం.1 నుండి సాధారణముగా ఈశాన్య దిశగా స్థానము నెం.12 వరకు అచట నుండి ఆగ్నేయ దిశగా స్థానము నెం.13 వరకు, అచట నుండి ఈశాన్య దిశగా స్థానము నెం.16 వరకు ఈ క్రింది కొలతలతో పొవుచున్నది.

| స్థానములు |      | మాగ్నటిక్          | దూరము    | స్థానములు |      | మాగ్నటిక్          | దూరము    |
|-----------|------|--------------------|----------|-----------|------|--------------------|----------|
| నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో | నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో |
| 1         | 2    | 27.00              | 298      | 4         | 5    | 41.00              | 419      |
| 2         | 3    | 34.00              | 290      | 5         | 6    | 47.00              | 592      |
| 3         | 4    | 33.30              | 441      | 6         | 7    | 45.00              | 230      |

| స్థిషనులు |      | మాగ్నటిక్          | దూరము    |
|-----------|------|--------------------|----------|
| నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో |
| 7         | 8    | 8.00               | 328      |
| 8         | 9    | 52.30              | 383      |
| 9         | 10   | 43.00              | 232      |
| 10        | 11   | 44.30              | 573      |

| స్థిషనులు |      | మాగ్నటిక్          | దూరము    |
|-----------|------|--------------------|----------|
| నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో |
| 11        | 12   | 48.00              | 411      |
| 12        | 13   | 126.30             | 542      |
| 13        | 14   | 47.00              | 848      |
| 14        | 15   | 48.30              | 564      |
| 15        | 16   | 41.30              | 308      |

**తూర్పు:** అచట నుండి సరిహద్దు రేఖ సాధారణముగా ఆగ్నేయ దిశగా స్థిషను నెం.17 వరకు ఈ క్రింది కొలతలతో పోవుచున్నది.

| స్థిషనులు |      | మాగ్నటిక్ బెరింగులు | దూరము    |
|-----------|------|---------------------|----------|
| నుండి     | వరకు | డిగ్రీతో            | లింకులలో |
| 16        | 17   | 130.00              | 542      |

**దక్షిణము:** అచట నుండి సరిహద్దు రేఖ సాధారణముగా నైరుతీ దిశగా స్థిషను నెం.22 వరకు ఈ క్రింది కొలతలతో పోవుచున్నది.

| స్థిషనులు |      | మాగ్నటిక్          | దూరము    |
|-----------|------|--------------------|----------|
| నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో |
| 17        | 18   | 229.00             | 1037     |
| 18        | 19   | 230.00             | 2621     |
| 19        | 20   | 220.00             | 530      |

| స్థిషనులు |      | మాగ్నటిక్          | దూరము    |
|-----------|------|--------------------|----------|
| నుండి     | వరకు | బెరింగులు డిగ్రీతో | లింకులలో |
| 20        | 21   | 225.00             | 787      |
| 21        | 22   | 212.00             | 496      |

**పడమర:** అచట నుండి సరిహద్దు రేఖ సాధారణముగా వాయువ్య దిశగా స్థిషను నెం.1 (ప్రారంభపు స్థిషను)కు క్రింది కొలతలతో పోవుచున్నది.

| స్థిషనులు |      | మాగ్నటిక్ బెరింగులు | దూరము    |
|-----------|------|---------------------|----------|
| నుండి     | వరకు | డిగ్రీతో            | లింకులలో |
| 22        | 1    | 299.30              | 388      |

**రిమార్కులు:** అనుమతింపబడు ప్రదేశములో ఎంక్లజర్లు మరియు రహదారులు ఏమీయూ లేవు.

**జానకి ఆర్. కొండపి,**

ప్రభుత్వ ప్రత్యేక ప్రధాన కార్యదర్శి.